


US Serial No. 10/552655
Page 3 of 22

In the Claims:

1.(cancelled)

2.(cancelled)

3.(currently amended) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a tertiary non-vinyl carbamate of formula (I)



wherein

R¹ and R² are independently selected from the group consisting of:

- (a) C₁ to C₁₁ alkyl; C₃ to C₁₁ alk-(>1)-enyl; or C₂ to C₁₁ alkynyl group; and
- (b) cycloalkyl optionally substituted with alkyl, alkenyl and alkoxy group(s); C₃ to C₈ cycloalkenyl optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenyl or naphthyl optionally substituted with alkyl, alkenyl and alkoxy group(s); and
- (c) C₄ to C₁₄ cycloalkylalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenylalkyl or naphthylalkyl, wherein the aromatic ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); and

R is selected from the group consisting of:

- (a) C₁ to C₁₁ alkyl; C₃ to C₁₁ alk-(>1)-enyl; or C₂ to C₁₁ alkynyl group; and
- (b) cycloalkyl optionally substituted with alkyl, and alkenyl group(s); C₃ to C₈ cycloalkenyl optionally substituted with alkyl, and alkenyl group(s); or phenyl or naphthyl optionally substituted with alkyl, and alkenyl group(s); and


US Serial No. 10/552655
Page 4 of 22

- (c) C₄ to C₁₄ cycloalkylalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, and alkenyl group(s); C₄ to C₁₄ cycloalkenylalkyl, wherein the cycloalkenyl ring is optionally substituted with alkyl, and alkenyl group(s); or phenylalkyl or naphthylalkyl, wherein the aromatic ring is optionally substituted with alkyl, and alkenyl group(s); and
- (d) heteroaromatic ring optionally substituted with alkyl, alkenyl and alkoxy group(s); heteroarylalkyl ring optionally substituted with alkyl, alkenyl and alkoxy group(s); heterocyclic ring optionally substituted with alkyl, alkenyl and alkoxy group(s) or heterocycloalkyl ring optionally substituted with alkyl, alkenyl and alkoxy group(s); and the ring having 5 to 6 ring members and the hetero atom of the ring is oxygen or nitrogen; and
- R, R¹ and R² having together 7 to 18 carbon atoms, and
- further wherein the fragrance ingredient composition is a fragrance.

4.(cancelled)

5.(previously presented)

A compound of formula (I)



wherein the compound is a fragrance, and further wherein the groups R, R¹ and R² are selected according to the following table:

R	R ¹	R ²
hex-3-enyl	ethyl	ethyl
2-ethyl-hexyl	methyl	methyl
methyl	ethyl	methyl-tolyl
methyl	ethyl	ethyl-tolyl
3-methyl-but-2-enyl	ethyl	ethyl
3-methyl-but-3-enyl	ethyl	ethyl

US Serial No. 10/552655

Page 5 of 22

hex-3-enyl	methyl	iso-propyl
2,2,5-trimethyl-hex-4-enyl	ethyl	ethyl
undec-10-enyl	methyl	methyl
2-ethyl-hexyl	methyl	iso-propyl
2-ethyl-hexyl	ethyl	iso-propyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-ethyl	methyl	methyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-methyl	methyl	methyl
ethyl	methyl	hexyl
2-methyl-propyl	methyl	butyl
2-methyl-propyl	ethyl	butyl
1,2-dimethyl-1-propyl-propyl	methyl	methyl
1,2-dimethyl-1-propyl-iso-propyl	methyl	methyl
furylmethyl	ethyl	ethyl

6.(cancelled)


7.(cancelled)

8.(previously presented) A method of manufacturing a fragrance application according to claim 3, wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.

9.(cancelled)

10.(previously presented) A method of manufacturing a fragrance application according to claim 3, wherein the fragrance ingredient is a compound selected from a compound according to formula (I)

US Serial No. 10/552655
Page 6 of 22




wherein the groups R, R¹ and R² are selected according to the following table:

R	R ¹	R ²
hex-3-enyl	ethyl	ethyl
2-ethyl-hexyl	methyl	methyl
methyl	ethyl	methyl-tolyl
methyl	ethyl	ethyl-tolyl
3-methyl-but-2-enyl	ethyl	ethyl
3-methyl-but-3-enyl	ethyl	ethyl
hex-3-enyl	methyl	iso-propyl
2,2,5-trimethyl-hex-4-enyl	ethyl	ethyl
undec-10-enyl	methyl	methyl
2-ethyl-hexyl	methyl	iso-propyl
2-ethyl-hexyl	ethyl	iso-propyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-ethyl	methyl	methyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-methyl	methyl	methyl
ethyl	methyl	hexyl
2-methyl-propyl	methyl	butyl
2-methyl-propyl	ethyl	butyl
1,2-dimethyl-1-propyl-propyl	methyl	methyl
1,2-dimethyl-1-propyl-iso-propyl	methyl	methyl
furylmethyl	ethyl	ethyl

11.(previously presented) A method of manufacturing a fragrance application according to claim 3, wherein the fragrance ingredient is a compound selected from the group consisting of

US Serial No. 10/552655
Page 7 of 22



12.(canceled)

13.(previously presented) A method of manufacturing a fragrance application according to claim 11, herein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.

14.(cancelled)

US Serial No. 10/552655
Page 8 of 22

15.(previously presented) A method of manufacturing a fragrance application according to claim 10, wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.

16.(cancelled)

17.(cancelled)

18.(previously presented) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a compound of formula (I) according to claim 5.

19.(previously presented) A method of claim 18 wherein the fragrance application is selected from the group consisting of perfume, household product, laundry product, body care product and cosmetics.